



# RUGBY FIELD (METRIC)



I-50 ROTOR  
LOOPED MAIN LINE LAYOUT

HUNTER INDUSTRIES  
1940 DIAMOND STREET  
SAN MARCOS, CALIFORNIA 92078

SHEET  
1 of 2


## VALVE IDENTIFICATION GUIDE

SYMBOL	MANUFACTURER/MODEL/DESCRIPTION	QTY
	Hunter IGV-G 50mm 25 mm, 40 mm, 50 mm, and 80 mm Plastic Electric Remote Control Valves, Globe Configuration, with NPT Threaded Inlet/Outlet, for Commercial/Municipal Use.	15
<b>A2C 75D-SS</b>	Hunter A2C-75D-SS 75-Station Decoder controller in a stainless steel wall mount enclosure.	1
<b>M</b>	Water Meter 50mm	1
	Irrigation Lateral Line: PVC Class 200 SDR 21 50	1,829 m
	Irrigation Lateral Line: PVC Class 200 SDR 21 65	267.6 m
	Irrigation Lateral Line: PVC Class 200 SDR 21 80	265.8 m
	Irrigation Lateral Line: PVC Class 200 SDR 21 100	1,167 m
	Irrigation Mainline: PVC Schedule 40 80	1,280 m
	Irrigation Mainline: PVC Schedule 40 100	390.0 m



## IRRIGATION LEGEND

SYMBOL	MANUFACTURER/MODEL/DESCRIPTION	QTY	kPa	l/min
	Hunter I-50-06-SS Turf Rotor, 15 cm Pop-Up. Adjustable to Full Circle. Drain Check Valve, Stainless Steel Riser, 25 mm Female NPT Inlet Threads, Standard Nozzle.	24	551.6	104.9
	Hunter I-50-06-SS-ON Turf Rotor, 15 cm Pop-Up. Adjustable to Full Circle. Drain Check Valve, Stainless Steel Riser, 25 mm Female NPT Inlet Threads, Dual Opposing Nozzle.	21	551.6	117.0



Hunter Industries offers this plan as a general guide for estimating purposes and offers no indemnity, expressed or implied, for projects installed from this plan. Consult a qualified irrigation designer to account for system and site variables.

TECHNICAL ASSISTANCE  
1-800-319-4796  
WWW.HUNTERINDUSTRIES.COM