

















Arc	Pressure			Radius	Flow		Precip mm/hr	
	bar	kPa			m ³ /hr	l/min	■	▲
90° 	1.7	170	
	2.0	200		3.7	0.04	0.61	11	12
	2.5	250		4.0	0.04	0.68	10	12
	2.8	280		4.1	0.04	0.70	10	11
	3.0	300		4.3	0.04	0.73	10	11
	3.5	350		4.4	0.05	0.78	10	11
	3.8	380		4.6	0.05	0.81	9	11
180° 	1.7	170	
	2.0	200		3.7	0.07	1.20	11	12
	2.5	250		4.0	0.08	1.35	10	12
	2.8	280		4.1	0.08	1.40	10	11
	3.0	300		4.3	0.09	1.46	10	11
	3.5	350		4.4	0.09	1.56	10	11
	3.8	380		4.6	0.10	1.62	9	11
210° 	1.7	170	
	2.0	200		3.7	0.09	1.41	11	13
	2.5	250		4.0	0.10	1.58	10	12
	2.8	280		4.1	0.10	1.63	10	11
	3.0	300		4.3	0.10	1.71	10	11
	3.5	350		4.4	0.11	1.82	10	11
	3.8	380		4.6	0.11	1.89	9	11
360° 	1.7	170	
	2.0	200		3.5	0.14	2.40	12	14
	2.5	250		4.0	0.16	2.69	10	12
	2.8	280		4.1	0.17	2.81	10	12
	3.0	300		4.3	0.18	2.94	10	11
	3.5	350		4.4	0.19	3.17	10	11
	3.8	380		4.5	0.20	3.25	10	11

MP2000

Radius: 4 to 6.4 m
Adjustable Arc & Full Circle
Black: 90° to 210°
Red: 360°

Arc	Pressure			Radius	Flow		Precip mm/hr	
	bar	kPa			m ³ /hr	l/min	■	▲
90° 	1.7	170		5.2	0.07	1.18	11	12
	2.0	200		5.5	0.07	1.23	10	11
	2.5	250		5.8	0.09	1.43	10	12
	2.8	280		6.1	0.09	1.52	10	11
	3.0	300		6.4	0.09	1.57	9	11
	3.5	350		6.7	0.10	1.68	9	10
	3.8	380		6.7	0.11	1.77	9	11
180° 	1.7	170		4.9	0.13	2.22	11	12
	2.0	200		5.2	0.14	2.35	11	12
	2.5	250		5.5	0.16	2.67	11	12
	2.8	280		5.8	0.17	2.80	10	12
	3.0	300		6.1	0.17	2.90	10	11
	3.5	350		6.4	0.19	3.15	9	10
	3.8	380		6.4	0.19	3.22	9	11
210° 	1.7	170		4.9	0.16	2.58	11	12
	2.0	200		5.2	0.17	2.75	11	13
	2.5	250		5.5	0.19	3.08	10	12
	2.8	280		5.8	0.20	3.25	10	12
	3.0	300		6.1	0.21	3.42	10	11
	3.5	350		6.4	0.22	3.70	9	10
	3.8	380		6.4	0.23	3.80	10	11
360° 	1.7	170		4.9	0.27	4.42	11	12
	2.0	200		5.2	0.28	4.72	11	13
	2.5	250		5.5	0.32	5.28	10	12
	2.8	280		5.8	0.33	5.55	10	12
	3.0	300		6.1	0.35	5.80	10	11
	3.5	350		6.4	0.37	6.25	9	10
	3.8	380		6.4	0.38	6.40	9	10





MP3000

Radius: 6.7 to 9.1 m

Adjustable Arc & Full Circle

Blue: 90° to 210°

Grey: 360°

Arc	Pressure		Radius	Flow		Precip mm/hr	
	bar	kPa		m	m ³ /hr	l/min	
90° 	1.7	170	7.6	0.16	2.63	11	13
	2.0	200	8.2	0.17	2.77	10	11
	2.5	250	8.5	0.19	3.08	10	12
	2.8	280	9.1	0.20	3.25	9	11
	3.0	300	9.1	0.20	3.38	10	11
	3.5	350	9.1	0.22	3.67	11	12
	3.8	380	9.1	0.23	3.80	11	13
180° 	1.7	170	7.6	0.32	5.48	11	13
	2.0	200	8.2	0.35	5.88	10	12
	2.5	250	8.5	0.40	6.55	11	12
	2.8	280	9.1	0.41	6.88	10	11
	3.0	300	9.1	0.43	7.18	10	12
	3.5	350	9.1	0.47	7.77	11	13
	3.8	380	9.1	0.45	8.02	12	13
210° 	1.7	170	7.6	0.38	6.40	11	13
	2.0	200	8.2	0.41	6.85	10	12
	2.5	250	8.5	0.46	7.65	11	12
	2.8	280	9.1	0.48	8.02	10	11
	3.0	300	9.1	0.50	8.37	10	12
	3.5	350	9.1	0.54	9.03	11	13
	3.8	380	9.1	0.56	9.37	12	13
360° 	1.7	170	7.6	0.66	10.98	11	13
	2.0	200	8.2	0.70	11.72	10	12
	2.5	250	8.5	0.79	13.10	11	12
	2.8	280	9.1	0.83	13.75	10	11
	3.0	300	9.1	0.87	14.37	10	12
	3.5	350	9.1	0.93	15.52	11	13
	3.8	380	9.1	0.96	16.07	12	13

Bold = Recommended pressure

Copyright © 2024 Hunter Industries Inc. Hunter, the Hunter logo, and other marks are trademarks of Hunter Industries Inc., registered in the U.S. and certain other countries.

<https://www.hunterindustries.com/cn/irrigation-product/mp-rotator/eco-rotator>
071724