

# MP ™ MP800

MP  MP800 

1

-  20  
  - 
  - 
  - 
  - 
  - 
  - 
  - 

1

- 25%
  - 2.8 bar 280 kPa
  - 2.1bar, 210kPa
  - 
  - 3

1

-  Pro-Spray™ PRS40  2.8 bar 
  -  Pro-Spray™ PRS30  2.1 bar 



## MP ROTATOR ??? - ??\*

**MP800SR**

???1.8 ? 3.5 ?

۲۷۹

??????90° ? 210°

???

□		□		□		□		□ mm.		□			
		bar	kPa	m		m <sup>3</sup> /hr		l/min		█	▲		
90°	2.1	200		2.6	0.04	0.61	22	25	1.8	0.03	0.49		
	2.5	250		2.9	0.04	0.72	21	24	2.1	0.03	0.55		
	<b>2.8</b>	<b>280</b>		<b>3.1</b>	<b>0.05</b>	<b>0.87</b>	<b>21</b>	<b>24</b>	<b>2.4</b>	<b>0.04</b>	<b>0.61</b>		
	3.0	300		3.4	0.06	0.95	20	23	2.4	0.04	0.68		
	3.5	350		3.5	0.06	1.02	20	23	2.7	0.04	0.72		
	3.8	380		3.5	0.06	1.06	20	23	3.0	0.05	0.76		
180°	2.1	200		2.6	0.07	1.21	22	25	1.8	0.06	0.98		
	2.5	250		2.8	0.08	1.40	21	24	2.1	0.07	1.10		
	<b>2.8</b>	<b>280</b>		<b>3.0</b>	<b>0.10</b>	<b>1.59</b>	<b>21</b>	<b>24</b>	<b>2.4</b>	<b>0.07</b>	<b>1.21</b>		
	3.0	300		3.3	0.10	1.74	19	22	2.4	0.08	1.36		
	3.5	350		3.4	0.11	1.82	19	22	2.7	0.09	1.44		
	3.8	380		3.5	0.11	1.89	18	21	3.0	0.09	1.51		
210°	2.1	200		2.6	0.08	1.40	22	25	1.8	0.07	1.15		
	2.5	250		2.8	0.10	1.67	22	25	2.1	0.08	1.28		
	<b>2.8</b>	<b>280</b>		<b>3.0</b>	<b>0.11</b>	<b>1.85</b>	<b>21</b>	<b>24</b>	<b>2.4</b>	<b>0.08</b>	<b>1.41</b>		
	3.0	300		3.2	0.12	2.01	20	23	2.4	0.10	1.59		
	3.5	350		3.4	0.13	2.12	19	22	2.7	0.10	1.68		
	3.8	380		3.5	0.13	2.20	18	21	3.0	0.11	1.77		
360°	2.1	200		2.6	0.14	2.38	22	25	1.8	0.11	1.78		
	2.5	250		2.8	0.16	2.65	20	23	2.1	0.12	1.97		
	<b>2.8</b>	<b>280</b>		<b>3.0</b>	<b>0.18</b>	<b>2.95</b>	<b>20</b>	<b>23</b>	<b>2.4</b>	<b>0.13</b>	<b>2.12</b>		
	3.0	300		3.1	0.19	3.22	20	23	2.4	0.13	2.23		
	3.5	350		3.3	0.20	3.33	19	21	2.7	0.14	2.38		
	3.8	380		3.5	0.22	3.71	18	21	3.0	0.16	2.65		

■ MP Rotator █ 2.8 bar █ 280 kPa █ Hunter PRS40 □ MP Rotator █ 2.8 bar █ 280 kPa █

MP815

???

?????????

??????90° ? 210°

??????210° ? 270°

??????360°

	barkPa	m m <sup>3</sup> /hr/min	■	▲		
90°	2.1 210	4.3 0.10 1.59 21 24				
	2.5 250	4.5 0.10 1.74 21 24				
	<b>2.8 280</b>	<b>4.6 0.11 1.85 21 24</b>				
	3.1 310	4.8 0.12 1.97 21 24				
	3.5 350	4.9 0.12 2.08 21 24				
	3.8 380	4.9 0.13 2.20 22 25				
180°	2.1 210	4.0 0.17 2.84 21 25				
	2.5 250	4.3 0.20 3.26 21 24				
	<b>2.8 280</b>	<b>4.5 0.21 3.52 21 24</b>				
	3.1 310	4.6 0.22 3.63 21 24				
	3.5 350	4.8 0.24 4.01 21 24				
	3.8 380	4.9 0.25 4.20 21 24				
210°	2.1 210	4.0 0.20 3.33 21 25				
	2.5 250	4.3 0.22 3.63 20 23				
	<b>2.8 280</b>	<b>4.5 0.25 4.16 21 24</b>				
	3.1 310	4.6 0.26 4.39 21 25				
	3.5 350	4.8 0.28 4.69 21 24				
	3.8 380	4.9 0.30 4.92 21 24				
270°	2.1 210	4.0 0.26 4.31 22 25				
	2.5 250	4.3 0.28 4.69 20 23				
	<b>2.8 280</b>	<b>4.5 0.32 5.30 21 24</b>				
	3.1 310	4.6 0.33 5.56 21 24				
	3.5 350	4.8 0.35 5.83 20 23				
	3.8 380	4.9 0.37 6.09 20 23				
360°	2.1 210	4.0 0.35 5.75 22 25				
	2.5 250	4.3 0.39 6.43 21 24				
	<b>2.8 280</b>	<b>4.5 0.42 7.08 21 24</b>				
	3.1 310	4.6 0.45 7.57 21 25				
	3.5 350	4.8 0.48 8.06 21 24				
	3.8 380	4.9 0.51 8.55 21 25				

?? = MP Rotator ??????? 2.8 ??280 ???????????? Pro-Spray PRS40 ? MP Rotator ??????????? 2.8 ??280 ???

Copyright © 2024 Hunter Industries Inc. Hunter, the Hunter logo, and other marks are trademarks of Hunter Industries Inc., registered in the U.S. and certain other countries.

<https://www.hunterindustries.com/cn/irrigation-product/mp-rotator/mp-xuanzhuanshexianpentoutm-mp800-penzui071724>